ANNUAL

REPORT

for the year

1943

on the

Health of Margate Vital Statistics and Sanitary Work

by the

Medical Officer of Health

G. L. BROCKLEHURST

M.D. (Lond.), B.S., M.R.C.S., L.R.C.P., D.P.H.

with which is included the
REPORT OF THE SANITARY INSPECTOR
and the
METEOROLOGICAL REPORT

Digitized by the Internet Archive in 2018 with funding from Wellcome Library

Health Department, 38, Grosvenor Place, Margate.

To His Worship The Mayor, and to the Aldermen and Councillors of the Borough of Margate.

Sir, Madam and Gentlemen,

I have the honour to present for your consideration the Annual Report on the Health Services of the town for the year 1943. The report is much curtailed in accordance with the instructions of the Ministry of Health and consists chiefly of Tables of Statistics and records of work carried out by the Department during the year.

Vital statistics for the year are satisfactory. The high death rate compared with the birth rate is attributable to the abnormal distribution of population owing to large numbers of young people leaving the town to obtain employment elsewhere.

It is satisfactory to note that no women died as a result of childbirth out of a total of 223 births. There was always available an adequate service of midwives for the town and any mother who wished could go to a Hostel in a Reception Area so that she could have her baby in a Maternity Home. Cases requiring Hospital treatment were similarly evacuated to a safe area.

Infant Mortality showed an increase, ll babies dying under the age of one year; six of these deaths were due to premature birth, possibly brought on by shock or stress of circumstances as a consequence of the war.

Illegitimate births were fewer in number than in the previous year, and no illegitimate babies died. This was also very satisfactory as experience has shown that illegitimacy increases during war time. The care of illegitimate babies has also improved.

More use was made of the Infant Welfare Centres; the staffs of the Aid Posts based on these Centres continued to give help and compensated for the loss of the regular staff.

A dental scheme for pregnant and nursing mothers was in operation throughout the year. The total attendance of mothers for treatment was 278, and 24 women were provided with dentures.

Children under school age requiring Orthopaedic treatment were referred to the Orthopaedic Department of the Kent and Canterbury Hospital. The Orthopaedic Clinic in Margate will be re-opened as soon as staff difficulties permit.

There was little infectious disease during the year. Seventeen cases of scarlet fever were notified, 13 being in the age group 5-10. Cases were mild in character and there were no deaths. No diphtheria was recorded and practically the whole child population has now been immunised against this disease.

There was an outbreak of influenza during the latter part of the year. It was feared that the epidemic would reach serious proportions and facilities were made available for Medical Officers in H. M. Services to assist civilian doctors in giving medical treatment. Nursing was undertaken by Civil



Defence Nursing Auxiliaries and arrangements were made for Members of the W.V.S. to help patients in their homes and with their shopping, etc. The epidemic, however, soon subsided and no serious difficulties were encountered.

Tuberculosis showed an increase of cases. This confirms the experience of the last war that war-time conditions induce the spread of this disease. The Departments concerned are fully alive to this fact and all possible measures are taken to prevent the spread of infection by affected persons and to ensure their living in hygienic surroundings.

The Meteorological Station was re-opened on the 1st Januart, 1943, and a short report on the year is included.

An Assistant Sanitary Inspector was approinted in February 1943. This side of the work continued to increase month by month.

In conclusion I should like to thank the Chairman and Members of the various Committees for their continued support and acknowledge with gratitude the good and loyal work of my staff in these difficult days.

I am, Sir, Madam and Gentlemen, Your obedient Servant,

G. L. BROCKLEHURST.

Medical Officer of Health.



STAFF OF THE HEALTH DEPARTMENT.

Medical Officer of Health, School Medical Officer and Borough
Meteorologist:-

GEORGE L. BROCKLEHURST, M.D. (Lond.), B.S., M.R.C.S., L.R.C.P., D.P.H.

Chief Sanitary Inspector: JOHN RATTRAY, M.R.San.Inst.

Additional Sanitary Inspectors:-

E. RIDSDALE, F.S.I.A. - Retired 30th September, 1943.

E. BRAZIER, A.R.S.I. - Joined H. M. Forces 5/3/40.

W. J. HAWKINS M.S.I.A. - Appointed 1st February, 1943.

Health Visitors: -

Miss E. GREEN, C.M.B. Miss J. H. DAVIES, S.R.N., C.M.B., Cert.R.S.I.

Clerks: -

Chief Clerk: - L. R. HUTCHINSON

F. COOPER - Temporarily transferred to Reading 15/7/40.

E. A. PRICE - Joined H. M. Forces 9/1/41.

Disinfectors: -

W. H. MARKHAM C. F. SPAIN

Town Clerk:- P.


PETER T. GROVE, LL.B.

Borough Surveyor: -

W. L. ARMSTRONG, B.Sc., A.M.I.C.E.

Waterworks Engineer: H. F. BRANDRAM-JONES, A.M.I.C.E. A.M.I.Mech.E., M.I.W.E.

Public Analyst: - ERNEST M. HAWKINS, F.I.C. Canterbury.



GENERAL STATISTICS 1943.

AREA:- 7,895 acres (including 963 acres foreshore)

RATEABLE VALUE: - £481,360

Sum represented by a penny rate:- £2,005-13-4d.

EXTRACTS FROM VITAL STATISTICS OF THE YEAR 1943.

LIVE BIRTHS:- Legitimate - Male 108, Female 99, TOTAL 207
Illegitimate - Male 5, Female 7, TOTAL 12
Rate per 1,000 population - 14.7

STILLBIRTHS:- Legitimate - Male 1, Female 3, TOTAL 4
Illegitimate - Male - Female - TOTAL Rate per 1,000 total Births - 17.9

DEATHS: - Male 132 Female 167, TOTAL 299.

BIRTH RATE (R.G.):- 15.0 per 1,000.

DEATH RATE (R.G.):- 20.1 per 1,000.

Number of Women dying in or in consequence of childbirth:-

From Sepsis: - Nil. From other causes: - Nil.

Deaths of INFANTS under 1 year of age per 1,000 Live Births:-

Legitimate: - 53.1 Illegitimate: - Nil. TOTAL: - 50.2

Deaths from MEASIES:- Nil.

Deaths from WHOOPING COUGH: - Nil.

Deaths from DIARRHOEA (under 2 years of age):- Two.

VITAL STATISTICS.

Birth Rate.

The number of Births registered during the year was 223 (114 males and 109 females), and of this total 4 were still-births (1 male and 3 females). There were 12 illegitimate births (5 males and 7 females).

The total birth rate is 15.0 per 1,000 and the rate of illegitimate births 0.8 per 1,000 estimated population

illegitimate births 0.8 per 1,000 estimated population.
The notification of births is well carried out in

The notification of births is well carried out in the town, and the following figures show by whom notification was made:-

Municipal Midwives 143, Private Midwives 39, Practitioners 8 At Emergency Maternity Homes in a Reception Area 36.

Death Rate.

The number of Deaths registered during the same period was 299 (132 males and 167 females).

The total death rate is 20.1 per 1,000.

The principal causes of death were:-

Malignant Disease	-53	Heart Disease 74	74
Tuberculosis	15	Cerebral Haemorrhage	32
Nephritis	3	Pneumonia	11
Bronchitis	16		



Infantile Mortality.

The number of infants who died under the age of one year was 11 (6 males and 5 females). The infantile mortality rate is therefore 50.2 per 1,000 live births. The figure for England and Wales is 49.

Laboratory Facilities.

The Kent County Council at Meidstone carry out pathological and bacteriological work, which is used extensively by the Corporation and by the Medical Practitioners in the town.

Nature of Examination	Positive	Negative	TOTAL
Examination of Diphtheria Swabs Sputum Examinations for	geas	8	8
Tuberculosis	15	000	15
Miscellaneous	2		2
TOTALS	17	8	25

The chemical analyses of specimens are carried out by Mr. E. M. Hawkins of Canterbury, who is also the Public Analyst for the Corporation.

Nursing Homes.

No. of applications for registration during	
the year 1943	 1
No. of Homes registered during the year.	 1
No. of Orders made refusing or cancelling	
registration	 Nil.

At the end of the year there were 2 Nursing Homes on the register.

Clinics.

(a) Infant Welfare Centres.

Total	attendances	of Moth	ners		5627
Total	attendances	of Babi	les		6841
Consu.	ltations by	Medical	Officer of	Health	230
No. of	Babies! we	ighings	recorded	• • •	6382

(b) Ante-Natal Clinics: -

No.	of	Mot	cher	's who	atte:	nded	for	first	time	189
Tota	al I	Vo.	of	attend	dance	g .	• •		• • •	639
No.	of	Cor	sul	tation	ns by	the	Doct	tor.	• • •	102

(c) Post-Natal Clinics: -

No-	of	mothers	seen					Nil.
-----	----	---------	------	--	--	--	--	------

.(d) Advisory Clinic:-

NO.	of	women	geen	 	 	N-1

Health Visiting.

No. of visits	to Babies	and Children	under	
5 years of	age	• • • • • •		 4254



Deaths of "Residents" in Margate whether occurring in or beyond the District during 1943.

CIVILIANS ONL		The second second second second	
Cause of Death .		Males	Females
	anglyssagatusaytan sagar sagar sagarang bersagatusang persanakan dalah d		00
1. Typhoid and Paratyphoid Fevers .	• • • • • • • •		_
2. Cerebro-Spinal Fever	• • • • • • •		
3. Scarlet Fever	• • • • • • • •		
4. Whooping Cough	• • • • • • •	~	-
5 Dinhtheria		-	ont pro
6 Tuberculosis of Respiratory System	M		5
7. Other forms of Tuberculosis		2	m4
8 Symbilitic diseases		2	1
8. Syphilitic diseases 9. Influenza.		1	3
10. Measles		-	-
11. Acute Poliomyelitis and polio-enc	ephalitis	1	-
12. Acute infective encephalitis.		1	-
13. Cancer of buc. cav. & Oesoph.(M)	Uterus (F)		2 1 4
13. Cancer of buc. Cav. & Cosopii. (ii)		A	1
14. Cancer of stomach and duodenum .			4
15. Cancer of Breast		3.0	21
16. Cancer of all other sites	• • • • • • • •	0	2
17. Diabetes	• • • • • • • •	7.4	18
18. Intracranial vascular lesions	• • • • • • •	70	42
19. Heart Disease			8.
20. Other diseases of circulatory sys	tem	1 74	9
27 Bronchitis.	• • • • • • •	-	
22 Pneumonia		. 3	8 3 1
oz Other respiratory diseases		3	3
24. Ulcer of stomach or duodenum.		4	1
25. Diarrhoea (umder 2 years)	• • • • • •	. 1	1
26. Appendicitis			2 6 2
			6
		. 1	2
So. Malumirars.			94
1 7			-
20. Other material campana		7	3
31. Premature birth.	njuries,		
25. COLLEGITORE MOTE CENTRAL		. 2	-
Int and diseases			-
55. 5016100		1	-
34. Road Traffic accidents.	• • • • • • •		13
35. Other violent causes	• • • • • • •		12
36. All other causes	000 000 00	****** *** **** ** *	the same of the sa
All causes	• • • • • • •	. 132	167
	ones dine melle melle mellemelle en ellem dillemelle mellem ellemente mellem mellem i ellemente i ellemente i	G	5
	Total	6	5
Deaths of Infants under 1 year	Legitimate	0	U
Dod oils of Line	Illegitimate	100	-
	allered to the second section of the		
		177	106
	Total	113	99
Live Births	Legitimate	108	7
TIAG DILIONE	Illegitimate	5	./
	Total	1	3 3
make we will be a	Legitimate	1	3
Still Births	Illegitimate	-	-
	a neparata de la colonia d		•



PREVALENCE OF, AND CONTROL OVER INFECTIOUS AND OTHER DISEASES.

Notifiable Diseases during the year 1943.

DISEASE.	Total Cases Notified	Cases admitted to Hospital	Total Deaths
Scarlet Fever	17	16	
Diphtheria	e-d	ri-qu	
Enteric Fever (including paratyphoid)	500	60.0	endi
Puerperal Pyrexia	1	2.	ee1
Pneumonia	2	end	11
Erysipelas	1.	1.	-
Cerebro-Spinal Fever	1	1	ned .
Measles	3	940	Quell
Whooping Cough	4.	- una	
Tuberculosis:-			
Pulmonary	27	540	13
Non-pulmonary	4	prof	2

For analysis under age groups see separate table.

TUBERCULOSIS.

Sanity Committee on the Committee of the	N	EW CAS	ES	yrangan natta natta asilikin sata randin e dina	DEATHS			
Age	Pulmonary M F		Non- pulmonary M F		Pulmor M	nary F	Non- pulmonary M F	
Under 1 1- 5 5-15 15-25 25-35 35-45 45-55 55-65 Over 65	1 5 3 2 3 3 -	1 1 6 2		211111111111111111111111111111111111111	2 3 2 1	1 2 2	1 ~ 1	pund pund
TOTALS	17.	10	1.	3	8 :	5	2.	600

Of the total 15 deaths from Tuberculosis 5 cases were not notified.



Infectious Diseases notified during the year 1943 in the Margate District. Cases of

	j.											
	and over		ı	1	1	rl	1	8	q	8	6 8 8	нин
	45-65	ŧ	1	t	i	ı	H	1	1	1	010	1 1 1
	35-45	t	1	. 1	ŧ	1	ı	ga d	t	ð	00 Cd ←	1 1 1
	20-35		t	ı	r-I	ı	1	t	\$	t	1100	117
notified	15-20		ſ		t	ŧ	t	t	t	ŧ	и 1 и	ıHH
of cases	10-15	Ċĵ	ı	8	1	ŧ	ı	r-1	cv .		1	1
Number of	2-10	13	ı		1	1	000	ŧ	Н	လ	нин	1
	4-5	1	1	1	. (6	1	1	1	ı	1 1 1	1 1 1
	3-4	rH	1	f	t	î	1	1	1	· I	1 ()	1 1 1
	2-3	ŧ	t	ŧ	ŧ	ı	ı	t	t	Н	1	. 1 8 8
	7-2	H	ŧ.	· I	1	1	ı	1	t	1	1 1 1	1 1 1
	Under 1 year	ı	ı	t		H	1	ı	ı	e(1 1 1	1 1 1
	DISEASE	Scarlet Fever	Diphtheria	Enteric Fever (including paratyphoid)	Puerperal Pyrexia	Pneumonia	Erysipelas	Cerebro Spinal Fever.	Measles.	Whooping Cough.	Tuberculosis:- (Males Pulmonary (Females (TOTAL	Non-Pulmonary (Females (TOTAL



Deaths from Infectious Diseases during 1943.

1-2 2-3 3-4 4-5 5-10 10-15 15-20 20-35 35-45 45-65
4 6 1
8
7 - 1
Tear
D H S. E A S E



IMMUNISATION & AINST DIPHTHERIA.

The effort to ensure that all children are immunised against Diphtheria has been maintained and as a result the number of children immunised during the year was:-

Under 5 years - 194 Between 5 and 15 years - 98

Since the commencement of the Scheme in Margate in January 1941, the total number of children immunised is as follows:-

Under 5 years - 788 Between 5 and 15 years - 838

It is estimated that of all the children under 15 years of age within the Borough, 92% have completed the treatment.

The great success of this scheme has been largely due to the propaganda work carried out by the Health Visitors, School Nurse and Teachers. It will be noted that no cases of Diphtheria were notified during the year 1943.

Immunisation is carried out at both the Welfare Centres.

SCABIES.

Facilities were provided for the treatment of cases of scabies at the Disinfecting Station. Treatment was carried out by the Health Visitors and the patients' clothes and bedding were also disinfected.

During the year 68 persons were treated, all cases showing

a complete cure after one course of treatment.

WATER.

The area of the original Borough is supplied by the Margate Corporation from the wells at Wingham, and Westgate and Birchington are supplied by the Westgate & Birchington Water Company from the wells at Sparrow Castle Pumping Station.

The supplies are ample for twice the population and are constant. Samples have been taken weekly or fortnightly and the analyses have been entirely satisfactory. The water is not plumbo-solvent. All houses are supplied from internal fittings.

SANITARY INSPECTION OF THE DISTRICT.

The information contained in this part of the Report has been prepared by the Chief Sanitary Inspector.

No. of Inspections carried out during the year.

No. of Dwelling Houses under the Public Health	Acts	4 • 6	1104
No. of Dwelling Houses under Housing Acts	9 • •	a 0 0	149
Houses let in Lodgings			21
Factories			91
Bakehouses			43 194
Cowsheds & Dairies			334
Slaughter Houses			7
Ullensive irades			6
D (SI) TOB			30
Nuisances from Animals Premises with regard to Rats			471
Courts, Back Roads, etc			161
diame and Food Stores			453
Restaurant Kitchens.	• • •	• • •	49
m d m la m	Dinon		48
No. of Visits re Notifiable and Non-motifiable	· · · · ·		197
Civil Defence - General			677
Other Inspections and Visits 4043)		
Other Inspections and Visits Total Inspections Total Re-inspections 1253	3		



NOTICES SERVED.

No. of Complaints received and inv No. of Notices and Letters sent wi	estigate	d.	• • •	• • •	290
requiring attention under Publi	tn respo c Health	Acts	matte etc	rs	328
No. of Statutory Notices served	• • •	···		• • •	5
DESCRIPTION OF WORK	CARRIE	OUT.			
Houses					
Cleansed and limewashed	• • •				35
Bedding cleansed	• • •	• • •	• • •	• • •	18
Yards cleansed		• • •	• • •	• • •	37
Vermin eradicated.	• • •		• • •		49
New floors laid or repaired Plaster on walls and ceilings r	encined	• • •	• • •	• • •	27 34
Roofs repaired	eparred	• • •	• • •	• • •	34
Sash cords renewed and frames r	epaired	• • •		• • •	21
Kitchen ranges or coppers repai	red or r	enewe	d		16
Rain-water pipes or gutters rep	aired or	rene	wed.		21
New sinks fixed		• • •	• • •		2
Waste pipes trapped or renewed	• • •	• • •	• • •	• • •	8
Yard paving repaired or renewed Accumulations of rubbish remove	3	• • •	• • •	• • •	61
Nuisances abated from keeping a		• • •	• • •	• • •	9
Water services renewed		• • •		• • •	13
Dilapidated sheds demolished	• • •	• • •	• • •	• • •	8
Overcrowding abated	• • •	• • •		• • •	2
William Co.					
Dustbins.	• 0				0.0
No. provided on service of prel	iminary	notic	6	• • •	20
Drainage.					
No. of houses where drainage	was part	lv re	constr	ucted	10
No. of houses where defective					
MO. OI HORSER MITELS GELECTIVE	arains	were	repair	ed	12
New Inspection Chambers built	• • • •	• • •	• • •		. 6
New Inspection Chambers built New gullies fixed	• • •	• • •	• • •	• • •	6 15
New Inspection Chambers built New gullies fixed Defective soil and vent pipes	repaire	d or	renewe	d	6 15 12
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed	repaire	d or	renewe	d	6 15 12 62
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated	repaire	d or	renewe	d	6 15 12 62 9
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed	repaire	d or	renewe	d	6 15 12 62
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated	repaire	d or	renewe	d	6 15 12 62 9
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished	repaire	d or	renewe	d	6 15 12 62 9
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished Water Closets. Reconstructed or repaired Washdown W.C. pans provided.	repaire	d or	renewe	d	6 15 12 62 9 1
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished Water Closets. Reconstructed or repaired Washdown W.C. pans provided. New cisterns fixed	repaire	d or	renewe	d	6 15 12 62 9 1 10 16 12
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished Water Closets. Reconstructed or repaired Washdown W.C. pans provided. New cisterns fixed Cisterns repaired and put in	repaire	d or	renewe	d	6 15 12 62 9 1 10 16 12 29
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished Water Closets. Reconstructed or repaired Washdown W.C. pans provided. New cisterns fixed Cisterns repaired and put in Flush pipes fixed or renewed	repaire	dor	renewe	d	15 12 62 9 1 10 16 12 29 15
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished Water Closets. Reconstructed or repaired Washdown W.C. pans provided. New cisterns fixed Cisterns repaired and put in Flush pipes fixed or renewed W.C's cleansed and limewashed	repaire	dor	renewe	d	10 16 12 29 15 23
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished Water Closets. Reconstructed or repaired Washdown W.C. pans provided. New cisterns fixed Cisterns repaired and put in Flush pipes fixed or renewed	repaire	dor	renewe	d	15 12 62 9 1 10 16 12 29 15
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished Water Closets. Reconstructed or repaired Washdown W.C. pans provided. New cisterns fixed Cisterns repaired and put in Flush pipes fixed or renewed W.C's cleansed and limewashed	repaire	dor	renewe	d	10 16 12 10 16 12 29 15 23 2
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished Water Closets. Reconstructed or repaired Washdown W.C. pans provided. New cisterns fixed Cisterns repaired and put in Flush pipes fixed or renewed W.C's cleansed and limewashed Earth closets abolished Houses let in Lodgings. Cleansed and limewashed	repaire	dor	renewe	d	6 15 12 62 9 1 10 16 12 29 15 23 2
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished Water Closets. Reconstructed or repaired Washdown W.C. pans provided. New cisterns fixed Cisterns repaired and put in Flush pipes fixed or renewed W.C's cleansed and limewashed Earth closets abolished Houses let in Lodgings. Cleansed and limewashed Sanitary defects remedied	repaire	dor	renewe	d	6 15 12 62 9 1 10 16 12 29 15 22 2
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished Water Closets. Reconstructed or repaired Washdown W.C. pans provided. New cisterns fixed Cisterns repaired and put in Flush pipes fixed or renewed W.C's cleansed and limewashed Earth closets abolished Houses let in Lodgings. Cleansed and limewashed	repaire	dor	renewe	d	6 15 12 62 9 1 10 16 12 29 15 23 2
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished Water Closets. Reconstructed or repaired Washdown W.C. pans provided. New cisterns fixed Cisterns repaired and put in Flush pipes fixed or renewed W.C's cleansed and limewashed Earth closets abolished Houses let in Lodgings. Cleansed and limewashed Sanitary defects remedied W.C's cleansed	repaire	dor	renewe	d	6 15 12 62 9 1 10 16 12 29 15 22 2
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished Water Closets Reconstructed or repaired Washdown W.C. pans provided New cisterns fixed Cisterns repaired and put in Flush pipes fixed or renewed W.C's cleansed and limewashed Earth closets abolished Houses let in Lodgings . Cleansed and limewashed Sanitary defects remedied W.C's cleansed Bakehouses	repaire	dor	renewe	d	6 15 12 62 9 1 10 16 12 29 15 23 2
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished Water Closets. Reconstructed or repaired Washdown W.C. pans provided. New cisterns fixed Cisterns repaired and put in Flush pipes fixed or renewed W.C's cleansed and limewashed Earth closets abolished Houses let in Lodgings. Cleansed and limewashed Sanitary defects remedied W.C's cleansed Bakehouses. Cleansed and limewashed Cleansed and limewashed	repaire	dor	renewe	d	6 15 12 62 9 1 10 16 12 29 15 22 2 2 3
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished Water Closets Reconstructed or repaired Washdown W.C. pans provided New cisterns fixed Cisterns repaired and put in Flush pipes fixed or renewed W.C's cleansed and limewashed Earth closets abolished Houses let in Lodgings . Cleansed and limewashed Sanitary defects remedied W.C's cleansed Bakehouses	repaire	dor	renewe	d	6 15 12 62 9 1 10 16 12 29 15 23 2 2
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished. Water Closets. Reconstructed or repaired Washdown W.C. pans provided. New cisterns fixed Cisterns repaired and put in Flush pipes fixed or renewed W.C's cleansed and limewashed Earth closets abolished Houses let in Lodgings. Cleansed and limewashed Sanitary defects remedied W.C's cleansed Bakehouses. Cleansed and limewashed Sanitary defects remedied Miscellaneous	repaire	dor	renewe	d	6 15 12 62 9 1 10 16 12 29 15 22 2 2 3
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished Water Closets. Reconstructed or repaired Washdown W.C. pans provided New cisterns fixed Cisterns repaired and put in Flush pipes fixed or renewed W.C's cleansed and limewashed Earth closets abolished Houses let in Lodgings . Cleansed and limewashed Sanitary defects remedied W.C's cleansed Bakehouses . Cleansed and limewashed Sanitary defects remedied Miscellaneous Factories .	repaire	dor	renewe	d	6 15 12 62 9 1 10 16 12 29 15 22 2 2 3 6 3 2
New Inspection Chambers built New gullies fixed	repaire	dor	renewe	d	6 15 12 62 9 1 10 16 12 29 15 22 2 2 3 6 3 2
New Inspection Chambers built New gullies fixed Defective soil and vent pipes Drains unstopped and cleansed Cesspools - Nuisances abated Cesspools - Abolished Water Closets. Reconstructed or repaired Washdown W.C. pans provided New cisterns fixed Cisterns repaired and put in Flush pipes fixed or renewed W.C's cleansed and limewashed Earth closets abolished Houses let in Lodgings . Cleansed and limewashed Sanitary defects remedied W.C's cleansed Bakehouses . Cleansed and limewashed Sanitary defects remedied Miscellaneous Factories .	repaire	dor	renewe	d	6 15 12 62 9 1 10 16 12 29 15 22 2 2 3



Kitchens cleansed and limewashed	• • •	• • •	5
Sanitary defects remedied	• • •	• • •	7
Shops and other Food Stores.			0
Cleansed and limewashed Sanitary defects remedied		• • •	9
		• • •	6 2 2
Miscellaneous	• • •	• • •	2
Offensive Trades.			
FISH FRIERS.	•		
Cleansed and limewashed		• • •	1
MARINE STORES.			0
Accumulations removed	• • •	• • •	2
Cowsheds.			77
Cleansed and limewashed	• • •	• • •	3
	• • •	• • •	
Dairies and Milkshops. Defects remedied under Milk & Dairies Order			7
Cleansed and limewashed	• • •	• • •	5
Stables			
Stables. Cleansed and limewashed		• • •	2
Accumulations of manure removed	• • •	• • •	5
Cinemas, etc.			
Sanitary accommodation cleansed	• • •		2
Licensed Premises.			
Urinals cleansed and limewashed		• • •	6
Sanitary accommodation improved	0 • 0	• • •	2
Smoke Nuisances.			4
No. abated	• • •	• • •	1
Rats Act.			
Premises treated Lands treated	• • •		
Lands treated	• • •	• • •	144
Civil Defence. Air Raid Shelters cleansed			. 7
			·
Miscellaneous		• • •	42
DISINFECTION.			
- L	0 • •		12
Total No. of infected houses disinfected	:		
Total No. of infected rooms disinfected	• • •	• • •	23
No. of houses disinfected after Consumption	• • •	• • •	12
No. of rooms disinfected after Consumption	• • •	• • •	12
Nc. of articles disinfected:-			
	l 7 awa		OHA
Blankets 312	llows		274 253
Making a total of	1073		

.



INSPECTION OF MEAT AND OTHER FOODS.

The following table shows the amount of unsound food dealt with during the year 1943:-

Description	Disease	Weight in 1bs.		
Description	Disease	We Ight In 105.		
Unsound Meat.				
3 Pigs! Carcases 1 Pig's Carcase 1 Pig's Carcase 1 Pig's Carcase 55 Pigs! Heads 10 Pigs! Livers 6 Pigs! Plucks 2 Pigs! Plucks Pork Beef 4 Sheep's Carcases Lambs! Livers (Frozen)	Generalised Tuberculosis Pyaemia Dropsy Fevered Localised Tuberculosis Cirrhosis Localised Tuberculosis Cirrhosis Bruised Heated and tainted Dropsy Decomposed	762 136 215 126 672 55 56 18 4 81 ¹ / ₂ 150 20		
Meat Products etc.				
Sausages Bacon Boiled Ham 769 Meat Pies	Unsound !! !! !!	25 27 ³ / ₄ 24 195		
Fats.				
Suet Butter Cheese	Unsound	2½ 9 39½		
Cereals.				
Flour	Unsound	134		
Tinned Foods				
Meat Fish Fruit & Vegetables Milk Various	Unsound II II II II II	131 2 53 2 288 166 2 42		
Miscellaneous				
Jam Pickles and Pastes 19 Eggs Tea Cake Dried Peas Mustard Sweetmeats	Unsound II II II II II II II II II	42 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		

Approximate weight of unsound food - .

1 ton 12 cwt. 0 qrs. 15 lbs.

Total animals killed during 1943:- Pigs - 3,266



FOOD AND DRUGS (ADULTERATION) ACT, 1928.

During the year 42 samples of various Foods and Drugs were obtained and submitted to the Public Analyst, Mr. E. M. Hawkins at Canterbury.

Description of samples and number taken:-

Nature of Sample	Adulterated	Genuine	Informal	Formal	TOTAL
Baking Powder	<u>~</u>	1.	1	400	1
Boric Ointment	94	1	1.	44	1
Butter	₩.	2	\$=d	2	2
Castor Oil	0-4	1	1	-	1
Cocoa	, 64	1	1	•	1
Coffee	bee	1	1	teo	1
Custard Powder	-	1	1	44	1
Egg Substitute	-	1	1	pa.	1
Flour	sed.	1	1	•	1
Flour (Self Raising).	***	1	. 1	pin	1
Ham & Tongue Paste	~	1	1	Switz .	1
Lard	-	2	enti	2	2
Milk	940	18	3	15	18
Margarine	200	2	pub	2.	2
Pepper	po po	1	1	-	1
Piccalilli	· ed	٦.	1	***	1
Sausage	ier.	2	gaid	2	2
Sausage Meat	PM	2	0-0	2	2
Vinegar	44	2	per	· · · 2·	2
TOTALS	lan alafa + alah sulgilan adala ada . Alah sula set lam alah selah selah selah selah selah selah selah selah s Bala	42	15	27	42

It will be seen from the above statement that all the samples were reported to be genuine.

LEGAL PROCEEDINGS.

It was not found necessary to take any legal proceedings during the year.

INSPECTION AND SUPERVISION OF FOOD.

MILK SUPPLY.

The number of producers and purveyors of milk on the register are shown in the following table:-

No.	of	Producer Farms within the district	10
Mo	of	Producers of "Accredited" Milk	5
No.	of	Producers of "Tuberculin Tested" Milk	11
		Retail Purveyors Paristered Dairy Premises	10



The following are the results of samples of Milk which have been submitted for bacteriological examination during the year:-

Tuberculin Tested 19
Accredited 31 5 failed to conform to standard.

Pasteurised 3 All satisfactory.

Ordinary 12 2 were below standard.

School 6 All satisfactory.

MEAT.

CARCASES INSPECTED AND CONDEMNED.

	Cattle excluding Cows	Cows	Calves	Sheep and Lambs	Pigs
Number killed	edi	-	50	-	3266
Number inspected		-	-		3266
All diseases except Tuberculosis:-					,
Whole carcases condemned	••	77	-	246	3
Carcases of which some part or organ was condemned	***************************************	-	-	-1	13
Percentage of the number inspected affected with disease other than Tuberculosis				e=	.49
Tuberculosis only:-					
Whole carcases condemned		-	-	-	3
Carcases of which some part or organ was condemned	ens	und.	-	64	61
Percentage of the No. inspected affected with Tuberculosis	-	dest	-	bull	1.96

METEOROLOGICAL REPORT COMPILED BY J. R. TURNER Capt.R.A.(R).

The Meteorological Station at Cliftonville closed on the 30th July, 1940 and re-opened on the 1st January, 1943. The station is not fully equipped but sufficiently so to supply the Meteorological Department with all the data they require. The weather kiosk became very dilapidated and was removed, the sound parts being stored for re-erection after the war. It is hoped that the station will then be brought up-to-date in accordance with Air Ministry requirements.



The year is chiefly memorable for the mildness of the winter months and the low rainfall. On no occasion was "snow lying at observation hour" registered. Atmospheric Phenomena were rare and except for that of November 9th when a Solar Halo, with arc of contact, mock sun ring and mock suns, was observed at 9 hours, uninteresting.

Rainfall amounted to 17.91 inches for the year being 84% of the average. January had the highest record with 3.61 inches and March the lowest with 0.38 inches. January 14th was the wettost day 1.52 inches falling between 5.30

and 9 hours G.M.T. accompanied by a gale.

Gales were experienced on 8 days during the year, 2 in January, 3 in February, 1 in April and 2 in May. Thunderstorms occurred on 11 occasions. August being the worst month with 3.

Sunshine was slightly below normal having a "percentage of average" of 99.8. May was the sunniest month with 265.5 hours and January the lowest with 50.1 hours. The highest record was on May 19th and July 17th with 14.6 hours. The highest week's record was 88.4 hours for week ending May 22nd. The total for the year was 1771.2 hours.

Temperatures were above normal with just over 1.2 degrees above the average, although no very high readings were recorded, 80 degrees being passed on only 3 occasions. August had the highest average with 71 degrees and December the lowest with 45 degrees. The lowest ground temperatures were recorded on January 29th and February 8th with 25 degrees.

Winds were from Southerly or Westerly quarter on

184 days during the year.
Weekly rainfall reports have been supplied to the Borough Surveyor during the year and weekly and monthly reports have been furnished to the Meteorological Department of the Air Ministry.

. . . .

